ZEITRAUM

OKITO STOOL

Design by Läufer & Keichel, 2018



Furniture Footprint OKITO STOOL

Design by Läufer & Keichel, 2018


OKITO STOOL — the stool in three heights. OKITO STOOL is available in three seating heights: in dining table height 46 cm, as kitchen stool in height of 65 cm and as bar stool in height of 80 cm. The heart of the minimalist stool is the solid wood seat. With its CNC-milled recesses, the solid wood seat takes up the chair frame. All connections are screwed without being visible on the top. The small OKITO STOOL in h 46 is stackable and can be shipped flat packaged, which significantly reduces the packaging size.


ZEITRAUM furniture meets the highest quality and environmental standards and is primarily made of solid wood. All the materials we use come from responsible manufacturing and are for the most part sourced directly from Germany. The following describes the product: OKITO STOOL. Due to the proportion of renewable raw materials, among other things, ZEITRAUM products can contribute to a good rating in certification programmes for sustainable buildings, such as LEED. For more information, please do not hesitate to contact us at any time.

Product details

Product category	Chairs					
Weight	ca. 4,2 kg					
Certification	CATAS Test EN 1728:2012 + AC:2013 Level 1 – general					
Environmental detail	s (wooden seat)					
Recycled content/ renewable raw materials	ca. 26 % recycled material (steel, share: 52 %, ø 50 % recycled content) ca. 47 % renewable materials					
Recyclability	ca. 47 % wood (waste wood category 2) ca. 52 % steel ca. 1 % plastic					
Repairability	Moderately repairable. We will be happy to assist with spare parts and service where necessary and possible.					
Manufacturing detai	ls					
Furniture element	Production site	Production partner since	Visited by ZEITRAUM	Code of Conduct signed		
Metal frame	Turkey	2018	Yes	Yes		
Seat	North Rhine- Westphalia, Germany	2008	Yes	Yes		
Packaging						
Flatpack	On request					
Two pieces of furniture	can be packed in one box					
Warehouse						
Country		Federal state				
Germany		North Rhine-Westphalia				

OKITO STOOL, h 46, wooden seat; walnut






OKITO STOOL, h 46, wooden seat; walnut	Material/Product rating					
	Walnut	Steel	Plastic, PA	Natural oil, Osmo	PVAC	Weighted rating, %
Life Cycle Assessment, production	10	4,3	3	5	10	68,3396 %
Life Cycle Assessment, transport	5	4	6,5	9	6,5	44,6885 %
Longevity	10	10	8	10	9	99,836 %
Biological reproduction/ Recycling material	10	6	0	6	0	77,336 %
Circulation potential	8	10	10	10	4	91,002 %
Social compatibility	9	8	9	10	9	84,525 %
Average rating, ø	8,666	7,05	6,083	8,333	6,416	Total weight
Share in kg	1,8	2,21	0,025	0,006	0,005	4,046
Share in %	44,48 %	54,62 %	0,61 %	0,14 %	0,12 %	
Weighted rating	3,854	3,85	0,037	0,011	0,007	
Product rating in %	77,59					

Packaging	Material/Product rating		
	Cardboard	Weighted rating, %	
Life Cycle Assessment, production	10	100 %	
Life Cycle Assessment, transport	9	90 %	
Longevity	4	40 %	
Biological reproduction/Recycling material	9	90 %	
Circulation potential	10	100 %	
Social compatibility	10	100 %	
Average rating, ø	8,666	Total weight	
Share in kg	3,4	3,4	
Share in %	100 %		
Weighted rating	8,666		
Product rating in %	86,66		

1 American walnut



 $\textbf{Tab. 1 A} : Material \ data \ sheet, \ American \ walnut, \ general^{12}$

Material group	Natural material; wood; hardwood
Botanical name	Juglans nigra L. (Juglandaceae)
Name	American Walnut (GB); Black Walnut (US); Amerikanischer Nussbaum, Schwarznuss, Schwarze Walnuss (D); Noyer Noir (F)
Material Norm. Ref.	DIN EN 13556: JGNG
Origin	Missouri
Occurrence	Midwestern and northeastern U.S.; Ontario to Florida, Minnesota to Texas; southeastern Canada.
	Prefers deep, loose fresh loam soils and mild climate; fairly winter hardy
Use	Solid and veneer, furniture and interior finishing; turning; marine interiors; small and seating furniture; piano making; musical instruments; buttons; inlays; etc.

¹ WAGENFUEHR, R. (2007) - Wood Atlas. (6) Leipzig: Hanser Wirtschaft, Fachbuchverlag Leipzig, pp. 551-554


 $^{^2}$ LOHMANN, U. (2010) - Wood encyclopedia. The standard work for wood and forestry. (4) Hamburg: Nikol-Verlag, page 859

Tab. 1 B: Material data sheet, American walnut, specific³

Certifications/Information	The Evergreen Initiative; NHLA; FSC on request	
Life cycle assessment data hardw	ood, average (GER)	10
Resource input per kg	A1-A3	
Total non-renewable primary energy (PENRT)	2,18 MJ	10
Use of freshwater resources (FW)	0,00048 m ³	10
Environmental impact per m³	A1-A3	
Global Warming Potential (GWP)	-1,74 Kg CO ₂ -eqv.	10
Environmental impact Transport, p	er 1000 kgkm (580 kg/m³)	5
Production site: Germany/ZEITRAL	JM	
Truck - ca. 300 km	A4	10
Total non-renewable primary energy (PENRT)	362,4 MJ	
Use of freshwater resources (FW)	0,019164 m ³	
Global Warming Potential (GWP)	26,907 Kg CO ₂ -eqv.	
Main raw material origin: Missou	ri/Production site	0
Truck - ca. 2000 km	A4	
Total non-renewable primary energy (PENRT)	2416 MJ	
Use of freshwater resources (FW)	0,12776 m ³	
Global Warming Potential (GWP)	179,38 Kg CO ₂ -eqv.	
Container ship - ca. 10000 km	A4	
Total non-renewable primary energy (PENRT)	1094 MJ	
Use of freshwater resources (FW)	0,005636 m³	
Global Warming Potential (GWP)	90,11 Kg CO ₂ -eqv.	
Sustainability Assessment		
Longevity	Very durable/repairable (> 20 years)	10
Biological reproduction/ Recycled material	100 %	10
Circulation potential	70 % - 99 % (technological/recycling)	8
Socially compatible	Yes	9

³ BMI 2021: Oekobaudat. Database https://www.oekobaudat.de/no_cache/en/database/search.html Accessed, on 10/27/2021

Total average rating		8,66
Processing		-
Mechanical	Very good; can be cut and peeled, suitable for turning and carving; low tendency to crack and warp	
Drying	good; but slow; low tendency to tear and shed; good stability	
Adhesion	good; alkalis can cause stains	
Surface finishing	Very good; can be stained and excellently varnished; tinting of the wood color by smoking	
Natural durability DIN EN 350-2 (with weathering)	Moderately durable; sapwood low; heartwood fairly good; resistant to fungi and insects; durability class 3	
Physical properties		
Kiln density (0 % wood moisture content)	560 610 kg/m³	
Bulk density (12 - 15 % wood moisture)	580 640 810 kg/m³	
Pore ratio	ca. 63 %	
Shrinkage rate at 1 % moisture reduction	radial - 0.19 %; tangetial - 0.26 %; volume - 0.40 %	
Mechanical properties		
Compressive strength ($\sigma_{ ext{dB}}$)	44 53 N/mm²	
Flexural strength ($\sigma_{ extsf{bB}}$)	90 103 N/mm²	
Tensile strength ($\sigma_{zB} \perp$)	ca. 4,7 N/mm²	
Shear strength (T _{aB})	8,8 9,6 N/mm²	
Hardness (HB)	ca. 50 N/mm²	
Hardness (HB ⊥)	ca. 26 N/mm²	
E-modulus (E _b)	11000 13500 N/mm²	



2 Steel, powder coated frames



Tab. 2 A: Material data sheet, steel, powder coated frames, general4

Material group	Natural material; metals; transition metals
Parts origin	Italy
Occurrence	Worldwide; South America, Western Australia, China and Eastern Europe, Canada
Use	According to application: building structural and tool steel, structural steel for machinery, vehicle and shipbuilding or mechanical engineering; line pipe, pressure vessel, etc.; handicraft and design; furniture making

⁴ KALWEIT, A., a.o. (2012) - Handbook of Technical Product Design, Materials and Manufacturing - Decision Bases for Designers and Engineers (2) Berlin: Springer-Verlag Berlin Heidelberg GmbH

Tab. 2 B: Material data sheet, steel, powder coated frames, specific⁵⁶

ISO 14001, ISO 9001	
Formaldehyde free	
smooth, hard	
Black	
rofile, powder-coated (GER)	4,33
A1-A3	
12,49 MJ	2
0,0026 m ³	4
A1-A3	
1,09 Kg CO ₂ -eqv.	7
er 1000 kgkm (7850 kg/m³)	4
A4	8
1812 MJ	
0,09582 m³	
134 Kg CO₂-eqv.	
oduction location	0
A4	
2416 MJ	
0,12776 m ³	
179,38 Kg CO ₂ -eqv.	
A4	
1094 MJ	
0,005636 m³	
90,11 Kg CO ₂ -eqv.	
	Black rofile, powder-coated (GER) A1-A3 12,49 MJ 0,0026 m³ A1-A3 1,09 Kg CO ₂ -eqv. er 1000 kgkm (7850 kg/m³) A4 1812 MJ 0,09582 m³ 134 Kg CO ₂ -eqv. oduction location A4 2416 MJ 0,12776 m³ 179,38 Kg CO ₂ -eqv. A4 1094 MJ 0,005636 m³

 $^{^{5}\,}BMI\,2021:\,Oekobaudat.\,Database\,< https://www.oekobaudat.de/no_cache/en/database/search.html>\,Accessed,\,on\,10/27/2021$

⁶ MATERIALARCHIV (2019) - Materialarchiv http://www.materialarchiv.ch/app-tablet/#search Accessed, on 03/01/2019

Longevity	Very durable/repairable (> 20 years)	10
Biological reproduction/ recycled material	50 - 60 %	6
Circulation potential	100 % (technological)	10
Socially compatible	Yes	8
Total average rating		7,05
Processing		
Mechanical	More difficult to machine due to hardness, drilling, turning, milling, cutting; forming (bending, compression, tension forming)	
Joints	Riveting; screwing and welding	
Surface finishing	Engraving, polishing, embossing, grinding, lasering	
Other	High plastic deformability under impact loading; materials with low carbon content are easier to deform	
Durability	Heat resistant, corrosion and heat resistant	
Physical properties		
Density	7,85 g/cm ³	
Electrical conductivity	9,93*10^6 S/m	
Thermal Abrasiveness	80,2 W/(m*K)	
Mechanical properties mild	steel	
Yield strength (ßs)	185 - 360 N/mm ²	
Tensile strength (ßz)	310 - 680 N/mm ²	
Elongation at break	18 - 26 %	
E-modulus (E)	210*10^3 N/mm²	
Shear modulus (G)	85*10^3 N/mm ²	
Poisson's ratio	0,28	
Notes	The life cycle assessment of iron improves the more often the material has been recycled or the proportion of recycled material increases	

3 Polyamide



Tab. 3 A: Material data sheet, polyamide, general⁷

Material group	Synthetic material; plastic
Name	Polyamide (GB, US); Polyamid (D)
Short name	PA
Manufactured in	Germany (GER)
Use	Machine and equipment construction; vehicle construction; electrical engineering; furniture construction

 $^{^{7}}$ KALWEIT A. (2012) - Handbook of technical product design - materials and manufacturing. Berlin: Springer Verlag

Tab. 3 B: Material data sheet, polyamide, specific⁸⁹


•		
Certifications/Information	n.a.	
Delivery forms	Granules, fibers, pipes, films, molded parts	
Color	Available in all colors	
Life cycle assessment data Nylon	casting (PA 6.6) (GER)	3
Resource input per kg	A1-A3	
Total non-renewable primary energy (PENRT)	251,7 MJ	0
Use of freshwater resources (FW)	0,04378 m ³	10
Environmental impact per kg	A1-A3	
Global Warming Potential (GWP)	16,91 Kg CO ₂ -eqv.	0
Environmental impact Transport, p	per 1000 kgkm (1140 kg/m³)	6,5
Production site: Germany/ZEITRAL	JM	
Truck - ca. 500 km	A4	10
Total non-renewable primary energy (PENRT)	604 MJ	
Use of freshwater resources (FW)	0,03194 m³	
Global Warming Potential (GWP)	44,845 Kg CO ₂ -eqv.	
Main raw material origin: n.a./pro	duction site	
n.a ø > 7000 km	A4	3
Total non-renewable primary energy (PENRT)	8456 MJ	
Use of freshwater resources (FW)	0,44716 m ³	
Global Warming Potential (GWP)	627,83 Kg CO ₂ -eqv.	
Sustainability Assessment		
Longevity	Very durable (> 20 years)	8
Biological reproduction/ recycled material	0 %	0
Circulation potential	100 % (technological)	10
Socially compatible	Yes	9
Total average rating		6,08
Processing		

⁸ BMI 2021: Oekobaudat. Database https://www.oekobaudat.de/no_cache/en/database/search.html Accessed, on 10/27/2021

⁹ MATERIALARCHIV (2019) - Materialarchiv http://www.materialarchiv.ch/app-tablet/#search Accessed, on 03/01/2019

Mechanically	Very good; with conventional plastic processing machines; drilling, sawing; milling; etc.	
Adhesion	Good; with adhesives for low-energy plastics	
Surface processing	Brushing; Sanding; Painting; Oiling; Embossing	
Resistance	Easy care; water resistant; resistant to fungi and insects	
Properties		
Elongation at break	50,0 %	
Density	1140 kg/m³	
Moisture absorption	2,5 - 3,5 %	
Dielectric strength	25 kV/mm	
Notched impact strength (Charpy)	3,0 kJ/m²	
Thermal properties		
Vicat softening temperature according to DIN EN ISO 306 Vicat B/50	250 °C	
Continuous operating temperature	-30 bis 95 °C	

4 Osmo, hard wax oil





Tab. 4 A: Material data sheet, Osmo, hard wax oil, general¹⁰¹¹

Material group	Coating materials; Oils
Name	Hard wax oil (GB, US); Hartwachsöl (D)
Manufacturer	Osmo Holz und Color GmbH & Co. KG
Manufactured in	Germany (GER)
Version	Osmo Hard Wax Oil 3032 satin, 3062 matt
Use	Furniture construction; for interior use; also suitable for parquet, cork and terracotta

¹⁰ KALWEIT A. (2012) - Handbook of technical product design - materials and manufacturing. Berlin: Springer Verlag

¹¹ Osmo (2019) - Osmo Hard Wax Oil 3032 satin, 3062 matte https://www.osmo.de Accessed, on 03/02/2019


Tab. 4 B: Material data sheet, Osmo, hard wax oil, specific 1213

Certifications/Information	ISO 9001, ISO 14001, ISO 18001	
Emission class (formaldehyde)	Formaldehyde-free	
VOC's	< 500 g/l (volatile components emit during curing)	
Delivery forms	Liquid	
Color	yellowish (transparent/yellowish in cured form)	
Texture	Glossy to matt (cured)	
Contents		-
50 - 60 % solids	Natural oils and waxes (sunflower oil, soybean oil, safflower oil, carnauba and candellila wax) Paraffins	
Additives	Siccatives (desiccants) and water-repellent additives	
Solvent	Desaromatized white spirit (gasoline-free - according to the purity requirements of the European Pharmacopoeia)	
Life cycle assessment data hard w	vax oil (GER)	5
Resource input per kg	A1-A3	
Total non-renewable primary energy (PENRT)	n.a.	
Use of freshwater resources (FW)	n.a.	
Environmental impact per kg	A1-A3	
Global Warming Potential (GWP)	n.a.	
Environmental impact Transport, p	er 1000 kgkm	9
Production site: Germany/ZEITRAL	JM	
Truck - ca. 200 km	A4	10
Total non-renewable primary energy (PENRT)	172,12 MJ	
Use of freshwater resources (FW)	0,012106 m ³	
Global Warming Potential (GWP)	12,822 Kg CO ₂ -eqv.	
Main raw material origin: n.a./pro	duction site	
n.a ø 3000 km	A4	8
Total non-renewable primary energy (PENRT)	3624 MJ	
Use of freshwater resources (FW)	0,19164 m ³	

 $^{^{12}\,}BMI\,\,2021:\,Oekobaudat.\,Database\,< https://www.oekobaudat.de/no_cache/en/database/search.html>\,Accessed,\,on\,\,10/27/2021$

¹³ MATERIALARCHIV (2019) - Materialarchiv http://www.materialarchiv.ch/app-tablet/#search Accessed, on 03/01/2019

Global Warming Potential (GWP)	296,07 Kg CO ₂ -eqv.	
Sustainability Assessment		
Longevity	Very durable/repairable (> 20 years, with good care)	10
Biological reproduction/ recycled material	51 - 60 %	6
Circulation potential	100 % (biodegradable)	10
Socially compatible	Yes	10
Total average rating		8,33
Processing		
Application	With brush, spatula or spray gun	
Storage	Can be stored up to 5 years with tight closure	
Properties		
Density	0,89 g/cm ³	
Viscosity	Thixotropic, creamy	
Consistency	Medium viscosity	
Moisture resistance	Good	
Notes	Osmo Polyx®-Oil is based on natural vegetable oils and waxes; Osmo Polyx®-Oil contains neither biocides nor preservatives. It is harmless to humans, animals and plants when dry and complies with DIN 53160 (sweat- and saliva-proof) and EURO-NORM EN 71 (suitable for children's toys)	



5 PVAc dispersion adhesive, D3



Tab. 5 A: Material data sheet, PVAc dispersion adhesive, D3, general 1415

Material group	Synthetic material; adhesives; dispersion adhesives
Name	Dispersion Adhesive (GB, US); Dispersionsklebstoff, PVAc-(Polyvinylacetat) Klebstoffe, Weißleim (D)
Manufacturer	Kleiberit Klebstoffe GmbH
Manufactured in	Germany (GER)
Version	Kleiberit 303, D3-adhesive
Use	Furniture construction; especially for interiors; staircase construction, ship interior finishing; surface bonding of HWS; door and window production

¹⁴ KALWEIT A. (2012) - Handbook of technical product design - materials and manufacturing. Berlin: Springer Verlag

¹⁵ KEIBERIT (2019) - KLEIBERIT 303, D3, PVAC Adhesive https://interior-construction.kleiberit.com/fileadmin/Content/Documents/DE/Infoblaetter/303_D3_Leim_D.pdf Accessed, on 02/03/2019

Tab. 5 B: Material data sheet, PVAc dispersion adhesive, D3, specific 1617

Certifications/Information	ISO 9001, ISO 14001, ISO 50001	
Emission class (formaldehyde)	Formaldehyde-free	
Delivery forms	Liquid	
Color	Whitish (transparent in cured form)	
Texture	Glossy	
Life cycle assessment data Disper	rsion-based solvent-free adhesives, coatings and sealants (GER)	10
Resource input per kg	A1-A3	
Total non-renewable primary energy (PENRT)	26,7 MJ	10
Use of freshwater resources (FW)	0,00758 m ³	10
Environmental impact per kg	A1-A3	
Global Warming Potential (GWP)	0,955 Kg CO ₂ -eqv.	10
Environmental impact Transport, p	er 1000 kgkm	6,5
Production site: Germany/ZEITRAL	JM	
Truck - ca. 200 km	A4	10
Total non-renewable primary energy (PENRT)	172,12 MJ	
Use of freshwater resources (FW)	0,012106 m ³	
Global Warming Potential (GWP)	12,822 Kg CO ₂ -eqv.	
Main raw material origin: n.a./pro	duction site	
n.a ø > 7000 km	A4	3
Total non-renewable primary energy (PENRT)	8456 MJ	
Use of freshwater resources (FW)	0,44716 m ³	
Global Warming Potential (GWP)	627,83 Kg CO ₂ -eqv.	
Sustainability Assessment		
Longevity	Very durable/moderately repairable (> 20 years)	9
Biological reproduction/ recycled material	0 %	0
Circulation potential	Only thermally recyclable	4
Socially compatible	Yes	9

 $^{^{16}\} BMI\ 2021:\ Oekobaudat.\ Database < https://www.oekobaudat.de/no_cache/en/database/search.html>\ Accessed,\ on\ 10/27/2021$

¹⁷ MATERIALARCHIV (2019) - Materialarchiv http://www.materialarchiv.ch/app-tablet/#search Accessed, on 03/01/2019

Total average rating		6,41
Processing		
Adhesion	With brush, spatula or glue roller	
Properties		
Density	1,1 g/cm ³	
PH level	3	
Consistency	Medium viscosity	
Moisture resistance	D3	
Heat resistance	Up to 120 °C	
Notes	PVAc adhesive is available solvent-free and solvent-based	



6 Cardboard, chairs



Tab. 6 A: Cardboard, chairs, general

Material group	Packaging
Name	Cardboard (GB, US); Karton (D)
Manufacturer	Schuhmacher Packaging GmbH
Manufactured in	Germany (GER)
Use	Packaging material for the production of cardboard boxes

Tab. 6 B: Cardboard chairs, specific¹⁸¹⁹

Certifications/Information	ISO 9001, ISO 50001, DIN ISO 22000, DIN EN ISO 14001, EMAS, ISO 28000;2007, FSC	
Color	Brown	
Texture	matt	
Contents		
85 %	Recycled paper	
15 %	Primary raw material	
Life cycle assessment data "Kraft _l	papier" (GER)	10
Resource input per kg	A1-A3	
Total non-renewable primary energy (PENRT)	5,888 MJ	
Use of freshwater resources (FW)	0,004899 m³	
Environmental impact per kg	A1-A3	
Global Warming Potential (GWP)	-0,8973 Kg CO ₂ -eqv.	
Environmental impact Transport, p	er 1000 kgkm	9
Production site: Germany/ZEITRAL	JM	
Truck - ca. 200 km	A4	10
Total non-renewable primary energy (PENRT)	172,12 MJ	
Use of freshwater resources (FW)	0,012106 m ³	
Global Warming Potential (GWP)	12,822 Kg CO ₂ -eqv.	
Main raw material origin: German	y, Central Europe/Production site	
Truck - ca. 1500 km	A4	8
Total non-renewable primary energy (PENRT)	1812 MJ	
Use of freshwater resources (FW)	0,09582 m³	
Global Warming Potential (GWP)	134,535 Kg CO₂-eqv.	
Sustainability Assessment		
Longevity	Moderately durable/repairable (< 10 years)	4
Biological reproduction/ recycled material	85 %	9

¹⁸ BMI 2021: Oekobaudat. Database https://www.oekobaudat.de/no_cache/en/database/search.html Accessed, on 10/27/2021

¹⁹ MATERIALARCHIV (2019) - Materialarchiv http://www.materialarchiv.ch/app-tablet/#search Accessed, on 03/01/2019

Circulation potential	100 % (technological)	10
Socially compatible	Yes	10
Total average rating		8,66
Disposal note	Waste paper	

Information on all materials used by ZEITRAUM can be found in our material library at:

www.zeitraum-moebel.com

Important note: Our Furniture Footprint product data sheets have no scientific claim and are to be understood as a guide for our customers and us. All data are marked with corresponding source information. The contents of our Furniture Footprint product database have been compiled with the utmost care. However, we do not guarantee the accuracy, completeness and timeliness of the content, so we do not assume any liability for incorrect, outdated or incomplete information.