

Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com

Date received: 06/02/19

Date of issue: 19/02/19

Report consists of 2 test reports.

Defects before testing: None

Sample name: OKITO Bar

ZEITRAUM GMBH

AEUSSERE MUENCHNER STRASSE 2

82515 WOLFRATSHAUSEN ()

DE - GERMANY

SAMPLE N° 265691

Overall dimensions: 460 x 450 x 1000 (h) mm

List performed tests:

- 1. Seat and back static load test EN 1728:2012+AC:2013
- 2. Seat and back fatigue test EN 1728:2012+AC:2013



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com

SAMPLE N° 265691

Date of issue: 19/02/19
Sample weight: Not determined
Sample name: OKITO Bar



Side view



Bottom view



Rear view



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

265691 / 1

Date received: 06/02/19
Date of test: 08/02/19
Date of issue: 19/02/19
Sample name: OKITO Bar



ZEITRAUM GMBH AEUSSERE MUENCHNER STRASSE 2 82515 WOLFRATSHAUSEN DE - GERMANY

Seat and back static load test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013

Seat and back static load test, clause 6.4, EN 1728:2012+AC:2013

Test results:

Seat load N	Back force N	Number of cycles	Remarks
1.600	470 10		No defects

Note

According to EN 1728:2012, back force has been reduced from 560 N to 470 N to avoid tipping.

Seat front edge static load, clause 6.5, EN 1728:2012+AC:2013

Seat load N	Number of cycles	Remarks
1.300	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013, level 1.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

pag. 1/1



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

265691 / 2

Date received: 06/02/19
Date of test: 13/02/19
Date of issue: 19/02/19
Sample name: OKITO Bar



ZEITRAUM GMBH AEUSSERE MUENCHNER STRASSE 2 82515 WOLFRATSHAUSEN DE - GERMANY

Seat and back fatigue test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013

Seat and back fatigue test, clause 6.17, EN 1728:2012+AC:2013

Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	300	100.000	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013, level 1.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

pag. 1/1